



# LOW-COST PET VACCINATION & MICROCHIP CLINIC

WEDNESDAY, JULY 9, 2014 6pm - 7:30pm

LOMITA CITY HALL (parking lot)

24300 Narbonne Ave., Lomita, CA

For clinic and other pet health care information, visit [WWW.SCVVC.COM](http://WWW.SCVVC.COM). For pet licensing, adoption, and ordinance information, call (877) 872-9738 or visit [www.animalcare.lacounty.gov](http://www.animalcare.lacounty.gov).

**DE-WORMINGS & FLEA CONTROL PRODUCTS AVAILABLE** (prices depend on pet's weight) • Pet owners must be at least 18 years of age to participate • All pets must be on leashes or in carriers • Only healthy & non-pregnant animals will be vaccinated • Vaccines listed below may change based upon availability • License Renewal Notice or Prior Rabies Certificate required in order to receive a 3-year Rabies vaccine; otherwise the vaccine will be good for 1 year • Bring vaccine records if possible • **CASH ONLY** for all veterinary services •

**NOTIFY THE VETERINARIAN PRIOR TO VACCINATING IF YOUR PET HAS EVER HAD A REACTION TO A VACCINE, OR IF YOUR PET HAS RECENTLY SHOWN ANY SIGN OF ILLNESS OR COULD BE PREGNANT!**

## MICROCHIPS FOR DOGS & CATS \$25

(Includes AVID PetTrac Registration & 24/7 Pet Lost & Found Hot-Line)



## DOG VACCINES



## RABIES (Thimerosal Free) (Minimum Age: 3 mos) \$10

All dogs 4 mos old & older must be vaccinated for Rabies and licensed. Vaccines are good for **3 years** if dog is over 1 yr old and has proof of prior licensing or a valid Certificate of Rabies Vaccination from a licensed veterinarian in the U.S. Otherwise, vaccine is good for **1 year**, regardless of dog's age.

## DHPP (Distemper, Hepatitis, Parvo Parainfluenza) -OR- DAP (Distemper, Hepatitis, Parvo) (Minimum Age: 6 wks) \$19\*

Extremely contagious & potentially fatal diseases. **Age 6 to 16 weeks:** Initial series of 3 vaccines administered 4 weeks apart. **Older than 16 weeks:** Initial series of 2 vaccines administered 4 weeks apart. The first booster is recommended in one year. Thereafter, boosters are recommended every 12 to 36 months.

## BORDETELLA (Injectable Bronchiseptica Bacterin - Killed Virus) (Minimum Age: 8 wks)

-OR-

## BORDETELLA w/PARAINFLUENZA (Intranasal Bronchiseptica & Parainfluenza - Modified Live Virus) (Age: 6 wks & older) \$14\*

Upper respiratory bacterial infection. **Injectable: Age 8 to 16 weeks:** Initial series of 3 vaccines administered 2 to 4 weeks apart. **Older than 16 weeks:** Initial series of 2 vaccines administered 2 to 4 weeks apart. **Intranasal: Age 6 to 16 weeks:** Initial series of 2 vaccines administered 2 to 4 weeks apart. Older than 16 weeks: Only 1 initial vaccine needed. Thereafter, annual boosters are recommended for both injectable and intranasal vaccines.

**\* Combo DISCOUNT: \$2 OFF with DHPP & BORDETELLA -or- DAP & BORDETELLA w/PARAINFLUENZA**

## LYME (Borrelia Burgdorferi) (Minimum Age: 9 wks) \$22

A tick-borne disease. Only recommended for dogs in areas where tick infestation is a problem. **All ages:** Initial series of 2 vaccines administered 2 to 4 weeks apart. Thereafter, annual boosters are recommended.

## CAT VACCINES

## RABIES (Thimerosal Free) \$10 -OR- PUREVAX RABIES (Non-Adjuvant) \$20 (Minimum Age: 3 mos)

Even indoor cats are at risk of contracting this fatal disease. Some cities require licensing for cats. Vaccine is good for **3 years** if cat is over 1yr old and has proof of prior licensing or a valid Certificate of Rabies Vaccine by a licensed U.S. veterinarian. Otherwise, vaccine is good for **1 year**, regardless of cat's age. Non-Adjuvant vaccines can help reduce the risk of cats developing sarcomas (cancer) sometimes associated with vaccinations. Purevax Rabies is always an annual vaccine.

## FVRCP (Non-Adjuvant) (Feline Viral Rhinotracheitis, Calici, and Panleukopenia) (Minimum Age: 6 wks) \$18

Serious upper respiratory infections. **Age 6 to 16 weeks:** Initial series of 3 vaccines administered 4 weeks apart. **Older than 16 weeks:** Initial series of 2 vaccines administered 4 weeks apart. Thereafter, the first booster is recommended in one year, then annual boosters are recommended.

## FELV (Non-Adjuvant) Feline Leukemia \$21 (Age: 10 weeks & older)

A highly contagious and potentially fatal disease. Initial series of 2 vaccines administered 3 - 4 weeks apart. Preferably, the second vaccine should be administered between **14 to 16 weeks of age**. Thereafter, annual boosters are recommended.